


2,3,7,8-TCDD Sediment Concentrations at Select Locations in the Lower Passaic River Study Area


July 9, 2015 CAG Meeting




Locations

- These locations have been identified by members of the CAG and other interested parties as areas of interest.
- The choice of locations is not related to the presence, absence or magnitude of contamination present.


Sediment data from river near Newark Riverbank Park



Sediment data from river near Kearny Boat Ramp




Sediment data from river near Crew Boat Location




CDM
Smith DRAFT

Crew Boat Location
2,3,7,8-TCDD in Surface (0-0.5 ft) Sediment (ng/kg)
2006 - 2013

Sediment data from river near Passaic River Rowing Association




Sediment data from river near Nutley Boat Ramp




CDM
Smith DRAFT

Nutley Boat Ramp
2,3,7,8-TCDD in Surface (0-0.5 ft) Sediment (ng/kg)
2006 - 2013

Sediment data from river near Nereid Boathouse



Sediment data from river near Wallington Borough



**CDM
Smith DRAFT**

0 200 400
800 Feet

Wallington Borough
2,3,7,8-TCDD in Surface (0-0.5 ft) Sediment (ng/kg)
2006 - 2013

LRC, Benthic, SSP1 and SSP2 Programs 2,3,7,8-TCDD Surface Sediment Concentrations Above RM 8 – Log Scale

